Neuroscience Letters, 80 (1987) 356–359
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abe, K. and Kogure, K., Prevention of an increase in susceptibility to calcium in a neuroblastoma cell line, 327
Albrecht, J., see Rafałowska, U., 106
Anderson, C.R., McLachlan, E.M. and Srb-Christie, O., The relationship of terminals containing neuropeptide Y-like immunoreactivity to lumbar sympathetic vasoconstrictor neurones in the rabbit, 33
Anwyl, R., see Mulkeen, D., 351
Arai, Y., see Satoh, N., 100
Avanzino, G.L., Ermirio, R., Cogo, C.E., Ruggeri, P. and Molinari, C., Effects of corticosterone on neurones of the locus coeruleus, in the rat, 85

Baker, B.I. see Powell, K.A., 268
Barber, A., Wild, A. and Wedel, R., Do local vasomotor effects elicit the motor deficits induced by intrathecally applied substance P antagonists in the rat?, 219
Barrit-Chamoin, M.C., see Palouzier, B., 147
Baskin, D.B., see Drew, J.P., 39
Bazana, N.G., see Vadnal, R.E., 75
Beason, R.C. and Semm, P., Magnetic responses of the trigeminal nerve system of the bobolink (*Dolichonyx oryzivorus*), 229
Ben-Ari, Y., see Neuman, R., 283
Berger, B., see Gaspar, P., 257
Besson, J.M., see Pelaprat, D., 16
Blessing, W.W., Hedger, S.C. and Oertel, W.H., Vestibulospinal pathway in rabbit includes GABA-synthesizing neurons, 158
Bodega, G., Suarez, I. and Fernández, B., Fine structural relationships between astrocytes and the node of Ranvier in the amphibian and reptilian spinal cord, 7
Borri-Voltattorni, C., see Gaspar, P., 257
Botez, M.I., see Lalonde, R., 343
Broer, Y., see Pelaprat, D., 16
Buhl, E.H., see Dann, J.F., 21
Burden, H.W., see McNeill, D.L., 27
Busto, R., see Globus, M.Y.-T., 251

Carras, P.L., see Coleman, P.A., 61
Cassagne, C., see Maneta-Peyret, L., 235
Chanaud, C.M. and Das, G.D., Growth of neural transplants in rats: effects of initial volume, growth potential, and fresh vs frozen tissues, 127
Cherubini, E., see Neuman, R., 283
Choi, D.W., see Goldberg, M.P., 11
Chung, K. and Kang, H.S., Dorsal root ganglion neurons with central processes in both dorsal and ventral roots in rats, 202
Coan, E.J., Saywood, W. and Collingridge, G.L., MK-801 blocks NMDA receptor-mediated synaptic transmission and long term potentiation in rat hippocampal slices, 111
Cogo, C.E., see Avanzino, G.L., 85
Coleman, P.A., Carras, P.L. and Miller, R.F., Barium reverses the transretinal potassium gradient of the amphibian retina, 61
Collingridge, G.L., see Coan, E.J., 111
Cuello, A.C., see Stephens, P.H., 80

Dann, J.F., Buhl, E.H. and Peichl, L., Dendritic maturation in cat retinal ganglion cells: a Lucifer yellow study, 21
Das, G.D., see Chanaud, C.M., 127
Daunton, N.G., see Niijima, A., 71
Daverat, P., see Maneta-Peyret, L., 235
De la Garza, R., McGuire, T.J., Freedman, R. and Hoffer, B.J., The electrophysiological effects of nicotine in the rat cerebellum: evidence for direct postsynaptic actions, 303
De Mello, F.G., see Martins, A.R., 89
Dietrich, W.D., see Globus, M.Y.-T., 251
Dourish, C.T., see Stoessl, A.J., 321
Dreher, B., see Thong, I.G., 275
Drew, J.P., Westrum, L.E., Baskin, D.B. and Franck, J.E., Benzodiazepine binding increases in the superficial laminae of the trigeminal subnucleus caudalis following central rhizotomy, 39

Ermirio, R., see Avanzino, G.L., 85

Fasolo, A., see Venesio, T., 246
Febvret, A., see Gaspar, P., 257
Fernández, B., see Bodega, G., 7
Feuerstein, C., see Manier, M., 141

0304-3940/87/$ 03.50 © 1987 Elsevier Scientific Publishers Ireland Ltd.

Neuroscience Letters, 80 (1987) 356–359
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abe, K. and Kogure, K., Prevention of an increase in susceptibility to calcium in a neuroblastoma cell line, 327
Albrecht, J., see Rafałowska, U., 106
Anderson, C.R., McLachlan, E.M. and Srb-Christie, O., The relationship of terminals containing neuropeptide Y-like immunoreactivity to lumbar sympathetic vasoconstrictor neurones in the rabbit, 33
Anwyl, R., see Mulkeen, D., 351
Arai, Y., see Satoh, N., 100
Avanzino, G.L., Ermirio, R., Cogo, C.E., Ruggeri, P. and Molinari, C., Effects of corticosterone on neurones of the locus coeruleus, in the rat, 85

Baker, B.I. see Powell, K.A., 268
Barber, A., Wild, A. and Wedel, R., Do local vasomotor effects elicit the motor deficits induced by intrathecally applied substance P antagonists in the rat?, 219
Barrit-Chamoin, M.C., see Palouzier, B., 147
Baskin, D.B., see Drew, J.P., 39
Bazana, N.G., see Vadnal, R.E., 75
Beason, R.C. and Semm, P., Magnetic responses of the trigeminal nerve system of the bobolink (*Dolichonyx oryzivorus*), 229
Ben-Ari, Y., see Neuman, R., 283
Berger, B., see Gaspar, P., 257
Besson, J.M., see Pelaprat, D., 16
Blessing, W.W., Hedger, S.C. and Oertel, W.H., Vestibulospinal pathway in rabbit includes GABA-synthesizing neurons, 158
Bodega, G., Suarez, I. and Fernández, B., Fine structural relationships between astrocytes and the node of Ranvier in the amphibian and reptilian spinal cord, 7
Borri-Voltattorni, C., see Gaspar, P., 257
Botez, M.I., see Lalonde, R., 343
Broer, Y., see Pelaprat, D., 16
Buhl, E.H., see Dann, J.F., 21
Burden, H.W., see McNeill, D.L., 27
Busto, R., see Globus, M.Y.-T., 251

Carras, P.L., see Coleman, P.A., 61
Cassagne, C., see Maneta-Peyret, L., 235
Chanaud, C.M. and Das, G.D., Growth of neural transplants in rats: effects of initial volume, growth potential, and fresh vs frozen tissues, 127
Cherubini, E., see Neuman, R., 283
Choi, D.W., see Goldberg, M.P., 11
Chung, K. and Kang, H.S., Dorsal root ganglion neurons with central processes in both dorsal and ventral roots in rats, 202
Coan, E.J., Saywood, W. and Collingridge, G.L., MK-801 blocks NMDA receptor-mediated synaptic transmission and long term potentiation in rat hippocampal slices, 111
Cogo, C.E., see Avanzino, G.L., 85
Coleman, P.A., Carras, P.L. and Miller, R.F., Barium reverses the transretinal potassium gradient of the amphibian retina, 61
Collingridge, G.L., see Coan, E.J., 111
Cuello, A.C., see Stephens, P.H., 80

Dann, J.F., Buhl, E.H. and Peichl, L., Dendritic maturation in cat retinal ganglion cells: a Lucifer yellow study, 21
Das, G.D., see Chanaud, C.M., 127
Daunton, N.G., see Niijima, A., 71
Daverat, P., see Maneta-Peyret, L., 235
De la Garza, R., McGuire, T.J., Freedman, R. and Hoffer, B.J., The electrophysiological effects of nicotine in the rat cerebellum: evidence for direct postsynaptic actions, 303
De Mello, F.G., see Martins, A.R., 89
Dietrich, W.D., see Globus, M.Y.-T., 251
Dourish, C.T., see Stoessl, A.J., 321
Dreher, B., see Thong, I.G., 275
Drew, J.P., Westrum, L.E., Baskin, D.B. and Franck, J.E., Benzodiazepine binding increases in the superficial laminae of the trigeminal subnucleus caudalis following central rhizotomy, 39

Ermirio, R., see Avanzino, G.L., 85

Fasolo, A., see Venesio, T., 246
Febvret, A., see Gaspar, P., 257
Fernández, B., see Bodega, G., 7
Feuerstein, C., see Manier, M., 141

0304-3940/87/$ 03.50 © 1987 Elsevier Scientific Publishers Ireland Ltd.

Finger, W. and Pareto, A., Single channel currents of different amplitude activated by glutamate in a tonic (slow) crayfish muscle, 49
Fox, R.A., see Niijima, A., 71
Franck, J.E., see Drew, J.P., 39
Freedman, R., see De la Garza, R., 303
Fujimoto, K., see Kawashima, K., 339
Fujino, M., Kurosawa, M., Saito, H., Sato, A. and Swenson, R.S., Effects of a substance P analogue with antagonist properties ([D-Arg[1],D-Trp[7,9], Leu[11]]substance P) on spontaneous activity of the adrenal sympathetic nerve and its evoked reflex discharges in response to somatic afferent stimulation, 315

Garofalo, L., see Stephens, P.H., 80
Gaspar, P., Berger, B., Febvret, A., Vigny, A., Krieger-Poulet, M. and Borri-Voltattorni, C., Tyrosine hydroxylase-immunoreactive neurons in the human cerebral cortex: a novel catecholaminergic group?, 257
Geffard, M., see Maneta-Peyret, L., 235
Geffard, M., see Touret, M., 263
Ginsberg, M.D., see Globus, M.Y.-T., 251
Globus, M.Y.-T., Ginsberg, M.D., Dietrich, W.D., Busto, R. and Scheinberg, P., Substantia nigra lesion protects against ischemic damage in the striatum, 251
Goldberg, M.P., Pham, P.-C. and Choi, D.W., Dextrorphan and dextromethorphan attanuate hypoxic injury in neuronal culture, 11
Gottesfeld, Z. and Liehr, J.G., Chronic exposure to random restraint stress retards the development of estrogen-induced pituitary prolactinoma in rats, 44
Gray, T.S., see Zardetto-Smith, A.M., 163

Harada, M., see Mogi, M., 213
Harrington, M.E., see Mason, R., 173
Harris, R.A., see Peris, J., 309
Hedger, S.C., see Blessing, W.W., 158
Hoffer, B.J., see De la Garza, R., 303
Höllt, V., see Morris, B.J., 298

Iversen, L.L., see Stoessl, A.J., 321
Iversen, S.D., see Stoessl, A.J., 321
Izumi, C., see Martins, A.R., 89

Janet, T., Miehe, M., Pettman, B., Labourdette, G. and Sensenbrenner, M., Ultrastructural localization of fibroblast growth factor in neurons of rat brain, 153
Jenkins, J.S., see Prysor-Jones, R.A., 333
Jiang, Z.-Y., see Niijima, A., 71
Jones, S.W., Chicken II luteinizing hormone-releasing hormone inhibits the M-current of bullfrog sympathetic neurons, 180
Jouvet, M., see Touret, M., 263

Kang, H.S., see Chung, K., 202
Kawashima, K., Oohata, H., Fujimoto, K. and Suzuki, T., Plasma concentration of acetylcholine in young women, 339
Kinemuchi, H., see Satoh, N., 100
Kisara, K., see Satoh, N., 100
Kitahama, K., see Touret, M., 263
Kiuchi, K., see Mogi, M., 213
Kogure, K., see Abe, K., 327
Kojima, K., see Mogi, M., 213
Korzeniewska, E., Multisensory convergence in the thalamus of the pigeon (*Columba livia*), 55
Krieger-Poulet, M., see Gaspar, P., 257
Kurosawa, M., see Fujino, M., 315

Labourdette, G., see Janet, T., 153
Lalonde, R., Manseau, M. and Botez, M.I., Delayed spontaneous alternation in Purkinje cell degeneration mutant mice, 343
Lee, A.Y.S. and Wong, T.M., Effects of dynorphin$_{1-13}$ on cardic rhythm and cyclic adenosine monophosphate (cAMP) levels in the isolated perfused rat heart, 289
Lee, E.H.Y., Lin, H.H. and Yin, H.M., Differential influences of different stressors upon midbrain raphe neurons in rats, 115
Liehr, J.G., see Gottesfeld, Z., 44
Lin, H.H., see Lee, E.H.Y., 115
Losee-Olson, S., see Van Reeth, O., 185
Lotstra, F. and Vanderhaeghen, J.-J., High concentration of cholecystokinin neurons in the newborn human entorhinal cortex, 191

Maggi, C.A., see Santicioli, P., 167
Maneta-Peyret, L., Daverat, P., Geffard, M., Cassagne, C. and Orgogozo, J.M., Natural seric anti-fatty acid antibodies in multiple sclerosis, 235
Manier, M., Mouchet, P. and Feuerstein, C., Immunohistochemical evidence for the coexistence of cholinergic and catecholaminergic phenotypes in neurones of the vagal nucleus in the adult rat, 141
Manseau, M., see Lalonde, R., 343
Martins, A.R., Izumi, C., Pretel, H.S. and De Mello, F.G., Ontogenesis of prolyl endopeptidase in the chick retina, 89

Mason, R., Harrington, M.E. and Rusak, B., Electrophysiological responses of hamster suprachiasmatic neurones to neuropeptide Y in the hypothalamic slice preparation, 173
Matsumoto, S. and Nagamine, T., Effects of acetylcholine on internal intercostal muscle activity in the rabbit, 66
Matsushima, T., Satou, M. and Ueda, K., Direct contacts between glossopharyngeal afferent terminals and hypoglossal motoneurons revealed by double labeling with cobaltic-lysine and horseradish peroxidase in the Japanese toad, 241
Matsuyama, K., see Suguya, K., 197
Maysinger, D., see Stephens, P.H., 80
McGuire, T.J., see De la Garza, R., 303
McLachlan, E.M., see Anderson, C.R., 33
McNeill, D.L. and Burden, H.W., Peripheral pathways for neuropeptide Y- and cholecystokinin-8-immunoreactive nerves innervating the rat ovary, 27
Meli, A., see Santicioli, P., 167
Miehe, M., see Janet, T., 153
Miller, M.-C., see Puiroud, S.,224
Miller, R.F., see Coleman, P.A., 61
Mogi, M., Harada, M., Kojima, K., Kiuchi, K., Nagatsu, I. and Nagatsu, T., Effects of repeated systemic administration of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) on striatal tyrosine hydroxylase activity in vitro and tyrosine hydroxylase content, 213
Molinari, C., see Avanzino, G.L., 85
Moneta, M.E., see Morris, B.J., 298
Mori, S., see Suguya, K., 197
Morris, B.J., Moneta, M.E., Ten Bruggencate, G. and Höllt, V., Levels of prodynorphin mRNA in rat dentate gyrus are decreased during hippocampal kindling, 298
Mouchet, P., see Manier, M., 141
Mulatero, B., see Venesio, T., 246
Mulkeen, D., Anwyl, R. and Rowan, M.J., Enhancement of long-term potentiation by the calcium channel agonist Bayer K8644 in CA_1 of the rat hippocampus in vitro, 351

Nagamine, T., see Matsumoto, S., 66
Nagatsu, I., see Mogi, M., 213
Nagatsu, T., see Mogi, M., 213
Neuman, R., Cherubini, E. and Ben-Ari, Y., Is activation of *N*-methyl-D-aspartate receptor gated channels sufficient to induce long term potentiation?, 283
Niijima, A., Jiang, Z.-Y., Daunton, N.G. and Fox, R.A., Effect of copper sulphate on the rate of afferent discharge in the gastric branch of the vagus nerve in the rat, 71

Oertel, W.H., see Blessing, W.W., 158
Oohata, H., see Kawashima, K., 339
Orgogozo, J.M., see Maneta-Peyret, L., 235
Ottonello, I., see Vallarino, M., 1

Palouzier, B., Barrit-Chamoin, M.C., Portalier, P. and Ternaux, J.P., Cholinergic neurons in the rat nodose ganglia, 147
Pareto, A., see Finger, W., 49
Patacchini, R., see Santicioli, P., 167
Peichl, L., see Dann, J.F., 21
Pelaprat, D., Peschanski, M., Broer, Y., Besson, J.M. and Roques, B.P., Postsynaptic receptors for cholecystokinin in the thalamic reticular nucleus: a possible modulatory system for sensory transmission, 16
Peris, J., Harris, R.A. and Zahniser, N.R., Modulation of γ-[^{3}H]aminobutyric acid release from rat cortical slices by α_2-adrenoceptors, 309
Peschanski, M., see Pelaprat, D., 16
Pettmann, B., see Janet, T., 153
Pham, P.-C., see Goldberg, M.P., 11
Philip, B.A., see Pockett, S., 347
Pinard, E., see Puiroud, S., 224
Piotte, M., see Stephens, P.H., 80
Pockett, S. and Philip, B.A., Problems with the use of the toe-spreading reflex in rats as an assay in nerve regeneration studies, 347
Portalier, P., see Palouzier, B., 147
Powell, K.A. and Baker, B.I., Ultrastructural demonstration that melanin-concentrating hormone-like and α-melanocyte-stimulating hormone-like immunoreactive molecules coexist in the same neurosecretory granules, 268
Pretel, H.S., see Martins, A.R., 89
Prysor-Jones, R.A., Silverlight, J.J. and Jenkins, J.S., Hyperprolactinemia reduces vasoactive intestinal peptide in the anterior pituitary glands of rats, 333
Puiroud, S., Pinard, E., Miller, M.-C. and Seylaz, J., Systemically administered adenosine increases caudate blood flow in rabbits, 224

Rafałowska, U., Waśkiewicz, J. and Albrecht, J., Is neurotransmitter histamine predominantly inactivated in astrocytes?, 106
Roques, B.P., see Pelaprat, D., 16
Rowan, M.J., see Mulkeen, D., 351
Ruczkal-Pietrzak, E., Wilce, P.A. and Shanley, B.C., Chronic consumption of ethanol increases glucose oxidation in isolated cerebral tissue of rat, 95
Ruggeri, P., see Avanzino, G.L., 85
Rusak, B., see Mason, R., 173

Saito, H., see Fujino, M., 315
Santicioli, P., Patacchini, R., Maggi, C.A. and Meli, A., Exposure to calcium-free medium protects sensory fibers by capsaicin desensitization, 167
Sato, A., see Fujino, M., 315
Satoh, N., Yonezawa, A., Tadano, T., Kisara, K., Arai, Y. and Kinemuchi, H., Central hypothermic effects of some analogues of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) and 1-methyl-4-phenylpyridinium ion (MPP^+), 100
Satou, M., see Matsushima, T., 241
Saywood, W., see Coan, E.J., 111
Scheinberg, P., see Globus, M.Y.-T., 251
Schultz, W., see Studer, A., 207
Semm, P., see Beason, R.C., 229
Sensenbrenner, M., see Janet, T., 153
Seylaz, J., see Puiroud, S., 224
Shanley, B.C., see Ruczkal-Pietrzak, E., 95
Silverlight, J.J., see Prysor-Jones, R.A., 333
Srb-Christie, O, see Anderson, C.R., 33
Stephens, P.H., Tagari, P.C., Garofalo, L., Maysinger, D., Piotte, M. and Cuello, A.C., Neural plasticity of basal forebrain cholinergic neurons: effects of gangliosides, 80
Stoessl, A.J., Dourish, C.T., Young, S.C., Williams, B.J., Iversen, S.D. and Iversen, L.L., Senktide, a selective neurokinin B-like agonist, elicits serotonin-mediated behaviour following intracisternal administration in the mouse, 321
Studer, A. and Schultz, W., The catecholamine uptake inhibitor nomifensine depresses impulse activity of dopamine neurons in mouse substantia nigra, 207
Suarez, I., see Bodega, G., 7
Suguya, K., Matsuyama, K., Takakusaki, K. and Mori, S., Electrical and chemical stimulations of the pontine micturition center, 197
Suzuki, T., see Kawashima, K., 339
Swenson, R.S., see Fujino, M., 315

Tadano, T., see Satoh, N., 100
Tagari, P.C., see Stephens, P.H., 80
Takakusaki, K., see Suguya, K., 197
Ten Bruggencate, G., see Morris, B.J., 298
Ternaux, J.P., see Palouzier, B., 147
Thong, I.G. and Dreher, B., The development of the corticotectal pathway in the albino rat: transient projections from the visual and motor cortices, 275
Touret, M., Kitahama, K., Geffard, M. and Jouvet, M., 5-Hydroxytryptophan (5-HTP)-immunoreactive neurons in the rat brain tissue, 263
Turek, F.W., see Van Reeth, O., 185

Ueda, K., see Matsushima, T., 241

Vadnal, R.E. and Bazana, N.G., Electroconvulsive shock stimulates polyphosphoinositide degradation and inositol trisphosphate accumulation in rat cerebrum: lithium pretreatment does not potentiate these changes, 75
Vallarino, M. and Ottonello, I., Neuronal localization of immunoreactive adrenocorticotropin-like substance in the hypothalamus of elasmobranch fishes, 1
Van der Beek, E.M., see Van Leeuwen, F.W., 121
Vanderhaeghen, J.-J., see Lotstra, F., 191
Van der Meulen, G., see Van Leeuwen, F.W., 121
Van Heerikhuize, J.J., see Van Leeuwen, F.W., 121
Van Leeuwen, F.W., Van der Beek, E.M., Van Heerikhuize, J.J., Wolters, P., Van der Meulen, G. and Wan, Y.-P., Quantitative light microscopic autoradiographic localization of binding sites labelled with [^{3}H]vasopressin antagonist $d(CH_2)_5Tyr(Me)VP$ in the rat brain, pituitary and kidney, 121
Van Reeth, O., Losee-Olson, S. and Turek, F.W., Phase shifts in the circadian activity rhythm induced by triazolam are not mediated by the eyes or the pineal gland in the hamster, 185
Venesio, T., Mulatero, B. and Fasolo, A., Coexistence of substance P and calcitonin gene-related peptide in the frog spinal cord, 246
Vigny, A., see Gaspar, P., 257

Wan, Y.-P., see Van Leeuwen, F.W., 121
Waśkiewicz, J., see Rafałowska, U., 106
Wedel, R., see Barber, A., 219
Westrum, L.E., see Drew, J.P., 39
Wiesenfeld-Hallin, Z., Intrathecal vasoactive intestinal polypeptide modulates spinal reflex excitability primarily to cutaneous thermal stimuli in rats, 293
Wilce, P.A., see Ruczkal-Pietrzak, E., 95
Wild, A., see Barber, A., 219
Williams, B.J., see Stoessl, A.J., 321
Winter, J., Characterization of capsaicin-sensitive neurones in adult rat dorsal root ganglion cultures, 134
Wolters, P., see Van Leeuwen, F.W., 121
Wong, T.M., see Lee, A.Y.S., 289

Yin, H.M., see Lee, E.H.Y., 115
Yonezawa, A., see Satoh, N., 100
Young, S.C., see Stoessl, A.J., 321

Zahniser, N.R., see Peris, J., 309
Zardetto-Smith, A.M. and Gray, T.S., A direct neural projection from the nucleus of the solitary tract to the subfornical organ in the rat, 163